

X•TIME WORK



Products in conformity with UNI laws



European standards accomplishment

TESTS



External quality and safeness certifications according to the european laws



Low formaldehyde emission

RING



STOP




NEXT




LAYOUT


MELAMINE BOW FRONT FRONT DESK




MELAMINE BOW FRONT DESK WITH EXTENSION lh/rh return




MELAMINE BOW FRONT DESK WITH RETURN AND PEDESTAL lh/rh return




MELAMINE BOW FRONT DESK WITH RETURN AND MOBILE CABINET lh/rh return




GLASS BOW FRONT DESK




GLASS BOW FRONT DESK WITH EXTENSION lh/rh return




GLASS BOW FRONT DESK WITH RETURN AND PEDESTAL lh/rh return




GLASS BOW FRONT DESK WITH RETURN AND MOBILE CABINET lh/rh return




MELAMINE/GLASS CURVED DESK



MELAMINE/GLASS CURVED DESK WITH RETURN AND PEDESTAL lh/rh return




MELAMINE/GLASS CURVED DESK WITH RETURN AND MOBILE CABINET lh/rh return



FINISHES


MELAMINE WORKTOPS, PANEL STRUCTURE, PEDESTAL AND MOBILE CABINET




OL - ELM **WE** - WENGÉ **NO** - CANALETTO WALNUT



METAL LEGS, MODESTY PANEL AND PEDESTAL BACK



A - SILVER RAL 9006 **I** - GLOSSY WHITE RAL 9016



GLASS WORKTOPS AND EXTENSIONS



S - FROSTED LIGHT GREEN



STANDARD ABS HANDLES

LOOK



SILVER (J)
WHITE (JB)

OPTIONAL METAL HANDLES +pts 5 EACH

ZEN



SILVER (Z)
WHITE (A)
CHROME (Y)

POP



SILVER (P)
CHROME (K)

SPECIFICATION SHEET

MELAMINE DESKTOPS

38mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick straight anti-shock ABS edges matching with the melamine finish.

GLASS DESKTOPS

12mm thick tempered frosted glass with smooth polished edges and 1,5mm thick bevel.

STOP LEG

Solid 38mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick straight anti-shock ABS edges matching with the melamine finish; ABS corners painted in aluminium finish; levelling feet.

Modesty panel:

- 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick matching anti-shock Abs straight edges; inclined 15°;
- 1mm thick perforated epoxy painted metal sheet; inclined 15°.

NEXT LEG

Epoxy painted steel cylinders: two 2,5mm thick Ø 100mm front legs, two 1,5mm thick Ø 60mm rear legs; 10mm thick chrome plated levelling feet; 1mm thick curved epoxy painted perforated sheet metal structural modesty panel..

RING LEG

2mm thick epoxy painted steel tubular leg with rectangular section 800x200mm, connected by a 500x300mm 2mm thick epoxy painted metal beam; levelling feet up to 7mm. Floating top: chromed ABS spacers fitted on the upper side of the leg.

Optional modesty panel:

- 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick matching anti-shock Abs straight edges;
- 1mm thick perforated epoxy painted metal sheet.

RETURN UNITS AND EXTENSIONS

Worktops:

- 38mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick straight anti-shock ABS edges matching with the melamine finish.
- 12mm thick tempered frosted glass with smooth polished edges and 1,5mm thick bevel.

Structures:

- **Pedestals:** the carcass of the pedestals are 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc), paper edges; the drawer fronts are in matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) 18mm thick, anti-shock ABS edge 1,5mm thick. The inner parts of the drawers are in PVC particleboard or (optional) in metal painted with epoxy powders; both can be equipped with pen tray in plastic. Slides are in metal with high sliding wheels with stop, to avoid the drawer comes out accidentally; they can have the "Soft-closing" mechanism (as optional). Filing drawers run on double expansion guides and they are equipped with a pull out of frame made of pressed plate mm 1,5mm thick, epoxy painted. All pedestals are equipped with lock and 2 folding keys to prevent accidents.

- **Mobile cabinets:** the carcass and the drawer fronts are 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc); tops and fronts are edged on 4 sides with 1,5mm shock-resistant ABS. Drawers are in PVC particleboard or epoxy painted metal; both can be equipped with PVC pen tray. The 80% extension slides are in metal with high sliding wheels with stop, to avoid the drawer comes out accidentally; drawers can have an optional "soft-closing" mechanism. Filing drawers run on double expansion guides and they are equipped with a pull out of frame made of pressed plate 1,5mm thick, epoxy painted. The drawers are equipped with lock and folding accident-prevention key at simultaneous closing; the cabinet has a packet door for CPU.

- **Round leg:** Ø 100mm epoxy painted metal sheet cylinders ; 10mm thick chromed levelling feet.